

CNC 6040 4 轴 CNC 数控 DSP 伺服电机 (1500W 或 2200W 电机)**产品特点**

1. 1,500w / 2,200w 功率 可选 3000 转
 2. 4 轴 数控 伺服电机, 精度高 速度 快 噪音 低 寿命 长.
 3. 轴 间距 300mm.
 4. 轴 间距 150mm.
 5. 轴 间距 100mm, 轴 间距 50mm.
 6. 控制器 : MACH3 或 USB CNC 控制器 可选.
 7. 轴 间距 100mm.
 8. 轴 间距 100mm, Z 轴 间距 100mm.
 9. 4 轴, cylindrical 轴 间距 100mm.
 10. 轴 USB 控制器 轴 间距 100mm 轴 间距 100mm 轴 间距 100mm 轴 间距 100mm.
 11. Can 轴 间距 100mm, 轴 间距 100mm, PCB 轴 间距.
 12. 轴 间距 : 80mm
 13. 轴 间距 100mm.
 14. 轴 CNC 轴 间距.
- 轴: 轴 间距 MACH3 轴 间距


DSP 轴 伺服电机 轴 伺服电机?

1. 轴 DSP 轴 伺服电机 轴 伺服电机.
2. TF 轴 间距, 轴 间距 100mm 轴 间距 100mm.
3. 轴 间距 100mm 轴 间距 100mm 轴 间距 100mm.
4. G 轴 间距 100mm, 轴 间距, 轴 间距 100mm,




CNC 6040 4 轴数控 CNC 铣床 规格	
工作台尺寸	375 (X) mm * 535 (Y) mm * 65 (Z) mm
行程	890 * 690 * 525mm
主轴行程	742mm * 480mm
主轴	采用 6063 6061 铝合金 主轴 精度 高. 主轴 精度 高
主轴 精度	≤95mm
行程	1605 轴 行程 (X / Y / Z 轴)
主轴 精度	Dia.16mm 轴 精度 高 (X 轴)
	Dia.20mm 轴 精度 高 (Y 轴)
	Dia.13mm 轴 精度 高 (Z 轴)
主轴 精度	57 轴 精度 3A 150N.cm
主轴 精度	采用 1500W 主轴 精度, 24000RPM
主轴 精度	ER-11A 3-7mm, ER-16A 3-10mm
主轴 精度	0.05mm
主轴 精度	轴 精度 0.03 mm
主轴 精度	MACH3 轴 精度 XP, USBCNC 轴 精度 XP, 精度 7
主轴 精度	0~4,000mm/min / 轴
主轴 精度	轴 精度 + PWM 轴 精度 轴 精度 + TB6560 3 轴 精度 轴
主轴 精度	USB 轴 精度 轴 精度
主轴 精度	G 轴, 轴 精度 MACH3 轴 精度 轴
轴	轴 精度 轴
轴	AC220V / 轴 110V
轴	轴, 轴 精度 轴 精度 轴 精度 轴, 轴,
轴	轴
轴 精度	轴 精度 轴 精度 * 52 * 43cm 60, 80 * 22 * 63cm
轴 精度	58kg 轴
CNC 铣床 6040 4 轴 规格	
轴	63 * 60 * 73mm
轴 精度	15mm
轴 精度	60mm
轴 精度	45mm 轴 精度 轴 精度
轴	1 轴 3
轴 精度	0.1





USB Cable





Ball screw high precision

04

Applications

China  zone

DIY 4 CNC 6040 CNC

1. 2D 3D 4D 5D 6D 7D 8D 9D 10D, PVC, PCB 2D 3D 4D 5D.


2D, 3D, 4D & A0 B0 C0 2D; 3D.

2D, 3D 2D, 3D 3D, 4D 3D, 5D, 6D 3D 4D 5D 6D 7D 8D 9D 10D, RC 2D 3D C.

A banner for a live demo of CNC machining. On the left, a photograph shows a CNC machine with a red workpiece being processed. To the right, the website address www.chinacnczone.com is displayed in a stylized font. Below the website address, the words "Live Demo" are written in large, bold, orange letters with a white outline. The background of the banner is blue with a white dot pattern.



PVC




DOUBLE COLOR BOARDS



WOOD



CARBON FIBER REINFORCED PLASTICS PLATE



PCB



WAX



DOUBLE COLOR BOARDS



EPOXY TOOLING BOARD







QA Inspection Area



Mechanical Assembly Area



Machine Commissioning Area



Finish Products Area




Packaging Area



Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.



SHENZHEN SCOTLE TECHNOLOGY GROUP LIMITED

ChinaCNCzone, engrave your colorful life!

客户合影及公司文化 Customers and Company Culture

