

ChinaCNCzone CNC 6040Z 3 CNC

580 (X) mm * 400 (Y) mm * 105 (Z) mm

880 * 670 * 640mm

750mm * 450mm & It; 150mm

750mm * 480mm

≤150mm

1. 1500w / 2200w
2. 4 CNC 6040
- 3.
- 4.
5. mainboard
6. Mach 3 USB CNC
- 7.
8. Z
9. USB
10. PCB
11. 80mm
- 12.
13. CNC

Mach3

intrested

ChinaCNCzone MACH 3 USB CNC 6040 3 1500W 2200W

ChinaCNCzone CNC 6040

ChinaCNCzone NEW CNC 6040 Old Version



CNC 6040Z CNC 参数 参数 (参数 参数 参数)		
加工范围	580 (X) mm * 400 (Y) mm * 105 (Z) mm	
尺寸	880 * 670 * 640mm	
重量	750mm * 450mm & lt; 150mm	
加工精度	750mm * 480mm	
加工材料	铝合金 6063 6061 不锈钢 钛 铜 注: 加工材料. 加工精度 加工精度?	
加工厚度	≤150mm	
加工速度	X	1605 毫米/分
	Y	1605 毫米/分
	Z	1605 毫米/分
加工直径	X	Dia.16mm 加工精度 加工精度
	Y	Dia.20mm 加工精度 加工精度
	Z	Dia.13mm 加工精度 加工精度
加工功率	57 2 3A 150N.cm	
加工速度	主轴 1.5KW 加工精度, 24000RPM	
加工精度	ER11 / 3.175 mm / 6 mm	
加工精度	0.05mm	
加工精度	加工精度 0.03 mm	
加工精度	G 代码 / TAB 代码 / nc 代码 / NCC 代码 / DXF 代码 / GERBER 代码	
加工精度	加工精度 USB 加工精度 加工精度	
加工精度	Windows XP / Win7 / Win8 / Win10	
加工精度	0-4000mm / 分	
加工精度	0-2500mm / min (加工精度 加工精度)	


控制板	3轴控制板 + PWM控制板 + TB6560 3轴驱动板
接口	RS232 / USB
控制软件	G代码
控制软件	Mach3, USBCNC
重量	3轴 57kg 4轴 60KG
尺寸	3轴 : 62 * 49 * 52cm 4轴 : 80 * 22 * 63cm

03 Product Images ChinaCNCzone









USB Cable



Ball screw high precision

04 Applications ChinaCNCzone

□ CNC 6040Z 3 □ CNC 000 00 00 000. 00:







QA Inspection Area



Mechanical Assembly Area



Machine Commissioning Area



Finish Products Area



Packaging Area




06

Certifications

China CCzone

Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.



SHENZHEN SCOTLE TECHNOLOGY GROUP LIMITED

ChinaCNCzone, engrave your colorful life!

客户合影及公司文化 Customers and Company Culture

