


□ □□□ □□ □□□□ □□?

□□ □□ □□ □□□ □□ □ □□□□

□□□ □□□ □□□ □□□ □□□□ □□ □ □ □□□□.



1. 鋼筋の断面寸法は、 150mm である。

2. $\frac{1}{2} \times \frac{1}{3} \times \frac{1}{4} \times \frac{1}{5} \times \frac{1}{6} \times \frac{1}{7} \times \frac{1}{8} \times \frac{1}{9} \times \frac{1}{10} \times \frac{1}{11} \times \frac{1}{12} \times \frac{1}{13} \times \frac{1}{14} \times \frac{1}{15} \times \frac{1}{16} \times \frac{1}{17} \times \frac{1}{18} \times \frac{1}{19} \times \frac{1}{20}$

3.1500w 200w

4. $\frac{1}{x^2} = x^{-2}$, $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$.

5. usb ☐ ☐

6. $\square\square\square \square\square \square\square\square.$

7. 鋼 鋼板, 鋼 鋼, 鋼, 鋼鋼, pcb etc 鋼 鋼 鋼 鋼 鋼 鋼鋼.

8. □ □□ □□□ □ □ □□ □□□□ □□□□.

9. □□ □□ □□, z □□ □□□ □□ □□ □□

10. □□ □□□ □□ □□ □□□ □□□□

11. It is a good idea to have a backup of your data.

12. □□ □ □□□ □□ □□□□.

13. `□□□ □ □□ & □□ □ □□ □□ cnc □□ □□□□.`

14 0000 0000 00 0 00 00000000 0000. (mach3 cnc 000000 00 usb cnc 000000 000 000 00 usb 00 0 00, dsp 00 0 00 00 00 mach3 000000 0 mach3 000000 00 mach3 usb 00 0 00).

usb □□□□ □□□ □□□ □□□□□?

1. usb cnc 控制, 通过 usb cnc 控制板 控制 机床
2. 通过 控制, 通过 mach3 控制板 控制 机床
3. 控制, 控制 机床.

Type 1 controller

Front




Back



parallel port +

USB CNC cable (option)





dsp 是 个 什么 东西 呢 ？

1. 通常 dsp 是指 数字 信号 处理器，它 cnc 系统 中 负责 对 数字 信号 进行 处理。
2. 通常 sd 卡 和 g 卡 是 存储 设备，dsp 是 负责 对 存储 的 数据 进行 处理 的 芯片，它 和 g 卡 是 配套 使用 的。
3. g-卡 是 负责 对 数据 进行 存储 的 设备，而 dsp 是 负责 对 数据 进行 处理 的 芯片。
4. 通常 dsp 是 指 数字 信号 处理器。
5. dsp 是 指 数字 信号 处理器 cnc 系统，mach3 是 负责 对 数据 进行 处理 的 软件。

Type 2 controller

TF/microsd card slot

data transfer

Front



[Back](#)



Mach3 usb □□□□ □□□ □□□ □□□□□?

1. mach3 的安裝與使用說明書 請到 <http://www.mach3.com.tw/> 下載。
2. 安裝時，請選擇安裝到 C:\Program Files\ 目錄。

Type 3 controller

Front



Back



+





Ethernet USB
interface

6090 cnc 3 ?

Model: CNC6090



ChinaCNCzone

Shape Dimension



Effective Working Travel

Max. Workpiece Dimension



02

Parameters

ChinaCNCzone

3 轴 cnc 6090 参数	
最大工件尺寸	600 (x) mm * 900 (y) mm * 150 (z) mm
机床尺寸	890 * 1250 * 620mm
主轴	可选 6063 或 6061 铝合金 或 钢 或 钛. 长度 150mm
主轴	3 轴 4 轴
最大行程	≤ 150mm
主轴	x, z SFUR1605-DFC7-p0 丝杠, y SFUR2005-DFC7-p0 丝杠

□□□□ □□ x □	dia. 30mm □□ □□□□ □ □
□□□□ □□ y □	dia. 30mm □□ □□□□ □ □
□□□□ □□ z □	□□ 16mm □□ □□□□ □ □
□□□ □□ □□	57 2-□□ 3a 150N.cm
4 □ □□□ □□□	220 (l) * 116 (w) * 105 (h) mm, 9 kg □□ □□: 1:3, 0.6 □□/□□, k11
4 □ □□ □□□ □□	□□ □□ 65mm, 3 □□ □ 80mm □□ □, □□ □□□ 125mm, □□ □□ □□ □□ □□ 50mm, □□ □□□ □□ 30kg
□□ □ □□	□ □ GDZ80-2.2, 000rpm, 1500/200w
□□ □ □ □	er20 1-13 mm
□□ □□□	0.05 mm
□□ □ □□□	□□□□ □□ acupressure 0.03 mm
□□ □□	0-4000mm/min
□□ □□	E100S2R2B + JMC542 □□□□ □□ + 163 a 4 □ □□□□ □□ + dsp □□□□
□□□ □□	dsp □□ □□ □□ □□□ □□
□□ □□	g □□ □□ □□ MACH3 □□ □□ □□
□□	□□ □□ □□
□□ □□	ac220v/110v
□□□□	□□, □□ □□ □□, □□□□, □□ etc□.
□□	2 □
□□ □□	1 □□ □□ □□ □□, 121 * 86 * 82 cm
□ □□	156mm




















cnc 6090 3 cnc 3 3






04 Applications

ChinaCCzone

该木箱适用于 dsp cnc 6090 机床, 数控, 精密加工, 精密加工, pvc, pcb 等。该木箱可保护精密加工。



05 Factory Tour

China  zone

我們提供各種 CNC 加工服務，包括 CNC 加工、CNC 雕刻、CNC 切割、CNC 磨削、CNC 拋光、CNC 噴漆、CNC 組裝、CNC 包裝、CNC 運輸、CNC 銷售、CNC 服務。歡迎垂詢。



QA Inspection Area



Mechanical Assembly Area



Machine Commissioning Area



Finish Products Area



Packaging Area



Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.





ChinaCNCzone, engrave your colorful life!

客户合影及企业文化



