

01

Product Highlight



CNC USB 3040

CNC 6040 CNC 6090 HY-3040 CO2 Arylic

- 1.
 - 2 3 4
 3. 230W DC
 - 4.
 - 5 Z
 - 6.
 7. USB CNC
 8. CE
 - 9 USB
 - 10.
 11. PCB
- & 038 12; CNC
- 13 Mach3



02

Parameters



CNC 3040	
	370X* 280Ymm* 55Zmm


尺寸	625 * 510 * 410mm
重量	520 * 320
配置	配置 6063 6061
X / Y / Z 行程	1204 mm
X轴直径	Dia.16mm
Y轴直径	Dia.20mm
Z轴直径	Dia.13mm
功率	57 W 2.5A
速度	230mm DC 1000 8000PRM /
精度	ER11 / 3.175 mm
分辨率	0.05mm
精度	accuracy 0.03mm
控制	G MACH3
操作系统	Windows XP / Windows 7
速度	0 3500mm /
重量	300 2500mm /
接口	USB
控制	USB CNC EMC2
电压	AC 220V / 110V

03 Product Images






Tool auto checking instrument





USB Cable



230W DC CNC3040 CNC 3-axis aluminum PVC PCB Spindle can







05 *Factory Tour* **ChinaCNCzone**

ChinaCNCzone is a different CNC zone



QA Inspection Area



Mechanical Assembly Area



Machine Commissioning Area



Finish Products Area




Packaging Area



Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.



SHENZHEN SCOTLE TECHNOLOGY GROUP LIMITED

ChinaCNCzone, engrave your colorful life!

客户合影及公司文化 Customers and Company Culture



**Dear customers,
Thank you for your supports and your coming!**



WorkShop



