01 Product Highlight

ChinaCNCzone

CNC 6040 DSP□□□□□□□1500W□□□2200W□□□□□□□4□□□□□□□CNC□□□□

□□□□□□□□□□

1□ 1500□□□/ 2200□□□□□□□□□□□□□□□□□

2.□4□□□

□□□□□□□□□□□□□□□□□□□3.□□□□□□□

4.□□□□□□□□□□□□□

□□□□□5.□□□□□□□□□□□□□□□□□□

6□ □□□□□□□□□□□□□□□USB CNC□□□□□□□□□□□□□□□

7.□□□□□□□□□□□□□□

□□8.□□□□□□□□□Z□□□□□□□□□□

9. 4□□□cylinderical□□□□□□□□□□□□□□□□

10□ □□USB□□□

□□□□□□□

11.Can□□□□□□□□□□□□□□□□□□□□□PCB□□□□□□□

12.□□□□□□□□80□□□□□

13.□□□□□□□□□□□□□□□□

14. □□ □□□CNC□□□□□

P.S□ □□□□□□□□□□□□□□□□□

DSP□□□□□□□□□□□□□□□□

1. □□□□DSP□□□□□□□□□□□□□□□□□□□
2. TF□□□□□□□□□□□□□□□□□□□□□□□□□□□
3. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
4. G□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

02 Parameters

ChinaCNCzone

CNC 6040 4□□□□□□□CNC□□□□ □□□□□	
□□□□□□□	375□X□□□□□□□* 535□Y□mm□* 65□Z□mm□
□□□□	890 * 690 * 525□□□□□□
□□□□□□□□□	742□□□□□□* 480□□□□□□
□□□□□□	□□□□□□□□ 6063□6061□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□
□□□□□□□□□□	≤95mm
□□□	1605 □□□□□□X / Y / Z□□
dliding□□□□	Dia.16mm □□□□□□□□□X□□
	Dia.20mm□□□□□□□□□Y□□
	Dia.13mm□□□□□□□□□Z□□
□□□□□□□□□□□□	57□□3A 150N.cm
□□□□□□□□□	□□□□□□□□1500W □□□□□□□□□24000RPM
□□□□□□	ER-11A□3□7□□□□□□□ ER-16A 3□10□□□□□□
□□□□□□	0.05□□□□□□
□□□□□□□	□□□□□□□ □□0.03□□□□□□
□□□□□□□□	MACH3□□□□ Windows XP□□□USBCNC□□□□□Windows XP□□□Windows 7
□□□□	0□4000□□□□□□/□
□□□□□□□□□□	□□□□□ □□□□+ PWM□□□□□□□+ TB6560 3axis□□□□□□□
□□□□□□□□	USB□□□□ □□□□□□□
□□□□□	G□□□□□□□□□□ MACH3□□□□□□□□□□□□□□
□□	□□□□ □□□
□□□□	AC220V / 110V AC
□□□□□□	□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□
□□	2□
□□□□□□□□□	2□□□□ □□□□□□60 * 52 * 43□□□□□□□□80 * 22 * 63□□□□□□□
□□□	58kg□
CNC□□□□6040□□□□□□□□□□□□	
□□□	63 * 60 * 73□□□□□□
□□□□	15□□□□□□
□□□□□□	60□□□□□□
□□□□□	45□□□□□□□□ □□□□□□□□□□□
□□□	1□03
□□□□	0.1

03 Product Images

PUMP/VFD
POWER


USB Cable

SMC4-4-16A16B
SMADGECNC
The Machine Configuration:
MotoBasic
G Code
LimitedIN
KeyIO
Home
Spindle
English
IO Out
About
Factory
SoftLimit
Test
Exit
G X Y Z A
F S 7 8 9
ESC M 4 5 6
1 2 3
Shift
0
OK F1 F2 F3 F4 F5
Y+
X-
X+
Y-
Z+ A+
Z- A-
PUSH

04 Applications

ChinaCNCzone

□□ DIY□4□CNC□□□□□□□□□□□□□□□□□□□□□□□□□□6040□CNC□□□ □□□□□□□□

A. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□PCB□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□&□□□□B.□□□□□□□□□□□
□□□RC□□□□□□□□□□□□
□C.

www.chinacnczone.com
Live Demo
EL COACH

PVC
DOUBLE COLOR BOARDS
WOOD
CARBON FIBER REINFORCED PLASTICS PLATE
PCB
WAX
DOUBLE COLOR BOARDS
EPOXY TOOLING BOARD

QA Inspection Area

Mechanical Assembly Area

机器调试区
Machine Commissoning Area

成品测试区
Finish Products Area

Packaging Area

Always be imitated,never be surmounted.

We all use well-designed professional aluminum to manufacture the machine, Almost all of the structural member are extruded by a dedicated mold, The production of large quantities so that we have a strong price competitiveness, Professional mold and materials so that our quality has been stable protection.



07 Company culture

ChinaCCzone

SHENZHEN SCOTLE TECHNOLOGY GROUP LIMITED

ChinaCNCzone,engrave your colorful life!

客户合影及公司文化
Customers and Company Culture