

CNC6040 3 **CNC DSP** **1500W** **2200W**

- 1. 1500 / 2200
- DSP PC 2
- 3.
- 4. SD
- SD 5.
- 6.2KG powerfu
- 7.
- YouTube 8.
- 9. CNC 6040 4
- 10.
- 11.
- 12.
- 13. USB CNC
- 14.
- 15. Z
- 16.
- 17. Can PCB
- 18. 80
- 19.

P.S. **DSP**

- 1. DSP
- 2. TF
- 3.
- 4. G




CNC6040 3轴CNC	
行程	375Xmm* 535Ymm* 65Zmm
尺寸	890 * 690 * 525mm
重量	742kg
主轴	6063/6061铝制主轴
最大行程	≤95mm
速度	1605 mm/min X / Y / Z
滑动轴	Dia.16mm 轴
	Dia.20mm 轴
	Dia.13mm 轴
最大扭矩	57 Nm @ 3A 150N.cm
功率	1500W 24000RPM
主轴	ER-11A 3/7 ER-16A 3/10
精度	0.05mm
分辨率	0.03mm
控制系统	MACH3 Windows XP/USBCNC Windows XP/Windows 7
速度	0-4000mm/min
冷却系统	水冷 + PWM + TB6560 3axis
接口	USB
轴	G MACH3
电压	AC220V
材料	铝
尺寸	60 * 52 * 43mm 80 * 22 * 63mm
重量	58kg





USB Cable





DIY 4-axis CNC router for PCB prototyping

A. PCB prototyping

& B. PCB prototyping

RC PCB prototyping

C.






PVC




DOUBLE COLOR BOARDS



WOOD



CARBON FIBER REINFORCED PLASTICS PLATE



PCB



WAX



DOUBLE COLOR BOARDS



EPOXY TOOLING BOARD







QA Inspection Area



Mechanical Assembly Area



Machine Commissioning Area



Finish Products Area




Packaging Area



Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.



SHENZHEN SCOTLE TECHNOLOGY GROUP LIMITED

ChinaCNCzone, engrave your colorful life!

客户合影及公司文化 Customers and Company Culture

