

01 Product Highlight

6040 CNC 3

Product Features

1. 1500mm / 2200mm
 2. 4-axis CNC 6040
 - 3.
 - 4.
 - 5.
 6. USB CNC
 - 7.
 8. Z-axis
 9. USB
 10. Can PCB
 11. 80
 - 12.
 13. CNC
- P.S.



02 Parameters

6040 CNC 3


Worktable	375 X mm * 535 Y mm * 65 Z mm
Size	890 * 690 * 525 mm

工作台面	742mm*480mm
行程	X:606.3mm Y:606.1mm Z:606.1mm
最大行程	≤95mm
行程	1605mm X / Y / Z
滑台	Dia.16mm X轴
	Dia.20mm Y轴
	Dia.13mm Z轴
最大推力	57kg 3A 150N.cm
功率	1500W 24000RPM
主轴	ER-11A 37mm ER-16A 310mm
精度	0.05mm
定位精度	0.03mm
控制系统	MACH3 Windows XP USB CNC Windows XP Windows 7
速度	0-4000mm/min
运动控制	步进+PWM+TB6560 3axis
接口	USB
驱动	G MACH3
电压	AC220V / AC110V
重量	58kg
尺寸	60 * 52 * 43mm 80 * 22 * 63mm
重量	58kg









USB Cable



Ball screw high precision

04 Applications China  zone

6040 CNC 3-axis mill machine

A. 中国数控机床网PCB

网B.

C. RC




PVC




DOUBLE COLOR BOARDS



WOOD



CARBON FIBER REINFORCED PLASTICS PLATE




PCB



WAX



DOUBLE COLOR BOARDS



EPOXY TOOLING BOARD







QA Inspection Area



Mechanical Assembly Area



Machine Commissioning Area



Finish Products Area



Packaging Area



06

Certifications

China CCzone

Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.





SHENZHEN SCOTLE TECHNOLOGY GROUP LIMITED

ChinaCNCzone, engrave your colorful life!

客户合影及公司文化 Customers and Company Culture

