Product Highlight



- 000000

- ПППППППП
- YouTube

- USBNNNNNN
- 0000000000

- חחחחחחחחחחחחחחחחח
- nnnnnnnnnnnnznnnnnnnn

- חחחחחחחחחחחחחחח

02 Parameters



6090 CNCDDD4DDDD	
0000	X860mm * Y630mm * Z480mm
Max.workpiece[[X600mm * Y900mm * Z100mm

000000	
000000000	≤100mm
000	X[]1605[][][][]
	Y_2005
	Z[]1605 [][][][]
	X[]Dia.30mm[][][][][][][]
	Y_ Dia.30mm
	Z[] Dia.16mm[][][][][][][][]
00000000000	57🗆 76 🖂 3A 150N.cm
00000000	24000RPM
00000000	ER16-AD 30100000000000000000000000000000000000
	< = 0.05
000000	acuities_0.03
0000000	G 000/ TAB0000/ NC0000/ NCC0000
0000	4000000000000000
00000000	002500000000/0 00000000000
	G 👊
00	00 00000
0000	AC110V / AC220V
6090 CNC000000000	
000	136 * 116 * 92 🖂
00000	3400000
	5000000 00000000
□□tatio	1□03
0000	0.1



















6090 CNC









Factory Tour



















Certifications



Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine, Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness, Professional mold and materials so that our quality has been stable protection.































