

01 Product Highlight



CO2 50W SL-460 50W CO2 [CO2](#)

1. USB
2. 18W 38L /
3. 40W 5.27m³
4. 15W 7.5L / H
5. 400 * 600
6. 5CM
7. 1000-1500H 3 - 5

- 17
- LCD 18
19. 50W

02 Parameters



SL-460 50W CO2	
Power	< 300W
CO2 Output	50W
Flow Rate	50W
Voltage	AC 220V / 110V
Dimensions	400 * 600
Weight	0-10
Temperature	0-10

重量	0.600kg
长度	0.600m
最大打印速度	0.250m/min
精度	< 0.01mm
打印范围	2 * 2mm, 1 * 1mm
工作温度	5°C-45°C
湿度	5%-95%
分辨率	≤1000dpi
接口	USB 2.0
操作系统	Windows XP / Win7 / Win8
兼容性	CorelDraw & WinsealXP
支持的格式	BMP, JPEG, PLT, CDR, AI, TIFF, PCX, DIB, TIF
软件	CorelDraw, WinsealXP
是否有线	NO
是否无线	NO
尺寸	140 * 75 * 58mm
重量	0.600kg
长度	157 * 94 * 78mm
湿度	230mm







Material	Engrave	Cut
Wood	Yes	Yes
Jade	Yes	
Acrylic	Yes	Yes
Glass	Yes	
Ceramic	Yes	
Delrin	Yes	Yes
Cloth	Yes	Yes
Leather	Yes	Yes
Marble	Yes	
Matte Board	Yes	Yes
Melamine	Yes	Yes
Paper	Yes	Yes
Mylar	Yes	Yes
Press Board	Yes	Yes
Rubber	Yes	Yes
Wood Veneer	Yes	Yes
Fiberglass	Yes	Yes
Painted Metals	Yes	
Tile	Yes	
Plastic	Yes	Yes
Cork	Yes	Yes
Corian	Yes	Yes
Anodized Aluminum	Yes	
Ceramics	Yes	
Stainless Steel	*	
Brass	*	



*****means you have to use a spray called "thermark" to spray the surface of the material and then you can mark on it.**



05 Factory Tour



06 **Certifications**

China  zone



