

01 Product Highlight

ChinaCNCzone

3轴CNC 6090 DSP ChinaCNCzone

- Wi DSP NECT
-
- SD WiSD
- 2.2KGpowerfu
-
- YouTube

DSP

- DSP
- TF
-
- G

6090 3轴CNC

- USB
-
- 3
- PCB
-
- 4 6090 CNC
- Z
-
- broaded
-
- &

02 Parameters

ChinaCNCzone

3轴CNC 6090	
	X860mm * Y630mm * Z480mm
Max.workpiece	X600mm * Y900mm * Z100mm
	6063 6061
	≤100mm


軸	X1605
	Y2005
	Z1605
軸径	X Dia.30mm
	Y Dia.30mm
	Z Dia.16mm
軸長	5776 3A 150N.cm
回転速度	2.2 24000RPM
軸径	ER16-A 310
精度	< = 0.05
軸径	acuties 0.03
軸径	G / TAB / NC / NCC
軸径	4000
軸径	02500
軸径	G
軸径	3 USB
軸径	軸 軸
軸径	AC110V / AC220V








SMC4-4-16A16B







6090 CNC 4 轴



04 Applications ChinaCCzone

3CNC6090 铝型材PVCPCB



05 Factory Tour

ChinaCCzone

ChinaCNCzone 中国 CNC 社区 different CNC 社区



06

Certifications

China **CC** zone

Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.





ChinaCNCzone, engrave your colorful life!

客户合影及企业文化



