01 Product Highlight

sl-1060 100w dsp □□ □□□□□ usb □□□ □□□ □□□ □□ □□ □□ 1000 x 600 mm□□ □□

□□□ □□ □□ □ □□
□□ ares: 600 x 1000mm

□□□ dsp □□ □ □□ □□□□ □□□ □□□ □□□□.

17 h 44 10h □□ □□

□□ □□ □□□ □□

□□□ □□: □□□ □□

□□: bule □ □□□

□□ □□□ □□ □ □

usb □□ □□

□□ □□□□, □□ □□□□ □ □ □□□ □□ □□

□□ □□ □□, □ □□ □□, □ □□□ □□

□□□ □, □□□ □□□ □□

□□□ □□□

□□□□ □□□, □□□□□ □□ □□ □□, □□ □ □□ □□

□□□□ □□ □ □□ □□□ □□ □□.

□□□ □□ □

□□ □□ □□□.

□ □ □□, 600 * 1000mm □□ □□.

□□ □ □ □ □□ □□ □□, 0-25cm □□.

□□□ □□ □□: 5cm

□□ □□□□ □□ □□ □□□ □□ □□ □□ □□□ □ □ □□□□.

□□□ □□□, □□, □□□□, □□□□□, □□□□□ □□□ □□ □ □ □□□□



□ sl□ □ □ □□ □□-1060 100w dsp □□ co2 usb □□□ □□ □□□ □□ □□ □□

1 □□ x dsp 1060 100w c 02 □□□ □□ □□

1 □□ x □□□ □□ □□□□□ (□□□ □ □□)

1 □□ x □□□ □□□ (□□ □ □□)

1 □□ x cw-3000 □□ □□ □□

1 □□ x □□ □□ □□

1 □□ x □□ □□

1 □□ x □□ □□□ □ usb □□□

1 x □□ □

1 □□ x □□ □ □ □ □ □

2 □□ □□:

1. □□ □□: □□□□ □□□ □□ □□ □□

□□ □□: 154 * 112 * 77 cm

□ □□: 172 kg

□□ □□: 260 kg

2. □□ □□ □□: □□□□ □□□ □□ □□ □□

□□ □□: 57 * 48 * 35cm

□ □□: 12kg

□□ □□: 20kg

□ dsp 1060□ □□ □□ □□ co2 □□□ □□

□ □□	< 300w
□□□ □	100w
□□□ □□	□□□□□ □□□ □□ □□
□□ □□ □□	ac 220v/110v
□□ □□	600 * 1000 mm
□□ □□	0-20 mm (□□ □□ □□)
□□ □□	0-20 mm
□□ □□	0-800mm/s
□□ □□	0-800mm/s
□□□ □□□	0-250 mm □□ □ □□ □□□
□□□ □□	< 0.01 mm
□□□□ □□ □□	□□: 2 * 2mm, □□: 1 * 1mm
□□ □□	5 ℃-45 ℃

□□ □□	5%-95%
□□□ □□	≤ 1000 dpi
□□□ □□ □□□□□	usb 2.0 (□□ □□)
□□□ □□	□□□ xp/□□ 7/□□ 8
□□	□□□□ □□ □ □□ □□□ □□ □□
□□ □□ □□□ □□	coreldraw & □ □ xp□□ □□□ □ □□ □□ (bmp, jpeg, plt, cdr, ai,) tiff, pcx, dib, tif
□□ □□□□□	coreldraw, □ □ xp
□□ □□	□□□□
□□□ □□	□□□□
□□	□□ □□ □ □ □ □ □□ □□ □
□□ □□	140 * 75 * 58 cm
□□	□□□□ □□□ □□ □□ □□
□□□ □□	157 * 94 * 78 cm
□□ □□	230 kg (□□ □□□ □□ □□)

Z
Z
Z/U
文件
File
边框
Box
菜单
Menu
Shift
复位
Reset
点射
Laser
定位
Origin
停止
Stop
取消
Esc
确定
Enter

USB


L
220 VAC
N
Filter
220 VAC (L)
220 VAC (N)
24V
0V
0V
0V
+24V
+24V
+24V
Laser CO₂
Cathode
Anode
Laser
Power
PC
com
LaserWorks
router
Motor
Y
Motor
X
Driver
Motor
Y
Driver
Motor
X
RDC644XG-A
Compressor
Air
solenoid
Air compressor
Work status Lamp
Usb cable





cw-3000 □□ □□ □□

ALARM
NORMAL
CW-3000
INDUSTRIAL CHILLER


Water Inlet
Alarm Outlet
Power Connection
With Fuse
Outlet
Backwater Inlet
Cooling Fan
Drain

□□ (□□□ □□ □□ □ □□□ □□)

Honeycomb Work Bed Table Platform

□□ □□ □□ □□ sl-1060 100w dsp □□ □□□□□ usb □□□ □□□ □□□ □□ □□ □□

□ sl-1060 100w dsp □□ co2 usb □□□ □□ □□□ □□ □□ □□□ □ □ □□ □



□ sl-1060 100w dsp □□ □□□□□ usb □□□ □□□ □□□ □□ □□ □□□ □□ □□□: □□, □□ □□, □□ □□□ □□□, □□ □□, □□, □□ □□ □□, □□ □□, □□ □□□, □□ □□, □□□□ □□, flexo, □□□ □, □□ □□, □□ □ □□□, □□ □□, □□□ □□, □□, □ □ □ □□, □□□□, cabinetry, □□ & □□, □□□ □ □, □ □□ □, □□ □□□ □□, □□ & □□□, □□□ □□, □ □ □□ & □□□□, □□ □ □, □□ □□, □□ □□□ □□□□, □□ □, □□ □ □□, □□ □□□, □□.

Material	Engrave	Cut
Wood	Yes	Yes
Jade	Yes	
Acrylic	Yes	Yes
Glass	Yes	
Ceramic	Yes	
Delrin	Yes	Yes
Cloth	Yes	Yes
Leather	Yes	Yes
Marble	Yes	
Matte Board	Yes	Yes
Melamine	Yes	Yes
Paper	Yes	Yes
Mylar	Yes	Yes
Press Board	Yes	Yes
Rubber	Yes	Yes
Wood Veneer	Yes	Yes
Fiberglass	Yes	Yes
Painted Metals	Yes	
Tile	Yes	
Plastic	Yes	Yes
Cork	Yes	Yes
Corian	Yes	Yes
Anodized Aluminum	Yes	
Ceramics	Yes	
Stainless Steel	*	
Brass	*	

""means you have to use a spray called "thermark"*
to spray the surface of the material and then you can mark on it.

adidas
福
激光雕刻
intel inside
6 925284 710015

The Becker Family
Established 2005
Richfield, WI
Ben & Laurie
Brayden
Kolton
Visitors &
Appointments





清華紫光
红旗
五粮液
Sample
text

HARLEY-DAVIDSON
MOTORCYCLES

GRETCHEN'S BOTX

Material	Type	Thickness	Speed
Acrylic	Engrave		
	Cut	15-20MM	2mm/s
Soft wood	Engrave		
	Cut	10MM	6mm/s
Leather	Engrave		
	Cut		30mm/s
Plastic	Engrave		
	Cut		Depending on the material
Glass	Engrave	0.1-0.2MM	
	Cut	Can't	Can't
Plexiglass	Engrave		
	Cut	Effect is not as good as acrylic	Speed slower than the acrylic
PVC	Engrave		
	Cut	Same with acrylic	Same with acrylic
Cloth	Engrave		
	Cut	Usually thin material	50mm/s
Rubber	Engrave		
	Cut	5mm	10mm/s
Bamboo	Engrave		
	Cut	10mm	4mm/s

05 Factory Tour

06 Certifications

ChinaCNCzone

07 Company culture

ChinaCCzone

□□ □□: □□□ □□ □□□ □□□ □□□□:

□□□ □ □□□ □ □□ □□□ □□ □□ □□□ □ □□ □□□□ **co2** □□□ □□ □□**?**