Product Highlight



- 1. 1,500w / 2,200w [] [] [] [] [] [] []
- $2.4\,\square\,\square\square\square\,\square\,\square\square\square$, $\square\square\square\square\,\square\square\square$

4. 00 00 000 00.

6. [[[[]]]] : MACH3 [[]] USB CNC [[[]][[]]] [[]].

7. 00 000 0000.

 \bigcirc 0 8. \bigcirc 0 \bigcirc 0 \bigcirc 0, Z \bigcirc 0 \bigcirc 0 \bigcirc 000 \bigcirc 0.

9. 4 [], cylinderical [][] [] [] [] [].

10. 00 USB 00000 00 000 0000 0000 000 0 0000

ΠΠΠ.

 $11.\mathsf{Can} \; \square\square \; \square\square \; \square\square\square, \; \square\square, \; \square\square\square, \; \square\square\square\square, \; \mathsf{PCB}\square \; \square\square\square.$

12. [][] [] : 80mm 13. [] [] [] [] [] [].

___: ___ __ MACH3 ___




Parameters



CNC [][] 6040 DIY 4 [] CNC [][][][][][
0000 00 00	375 (X) mm * 535 (Y) mm * 65 (Z) mm
00 00	890 * 690 * 525mm
00 000 00	742mm * 480mm
000 00	
0000 000 00	≤95mm
	1605 [] [][] (X / Y[] / Z [])
□□□ dliding	Dia.16mm [] [] [] [] (X [])
	Dia.20mm [] [] [] (Y [])
	Dia.13mm
	57 🔲 🗎 3A 150N.cm
000 00	1500W 24000RPM
	ER-11A[] 3-7mm, ER-16A 3-10mm
	□ 0.05mm
000 00	□□ □□ □□□ 0.03 mm
00000 00	MACH3
00 00	0~4,000 / _
	□□ □□□ + PWM □□ □□ □□ + TB6560 3 □ □□ □□
000 00	USB 🖂 🖰 🖂 🖂
00 00	G 🖂, 🖫 🕅 MACH3 🖂 🖂 🖂
00 00	AC220V / □□ 110V
	□ □□ □□ □□□ * 52 * 43cm 60, 80 * 22 * 63cm
	58kg
CNC [[[[] 6040[] 4 [] [[[
	63 * 60 * 73mm
00 00	15mm
00 00	60mm
000 00	45mm
000	1[] 3[]
00 00	0.1


















04 Applications



☐ DIY 4 ☐ CNC ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ 6040 CNC ☐ ☐ ☐ ☐ ☐

- \square 0. \square 0 \square 0 \square 0 \square 0 \square 0 \square 0 \square 0, \square 0, \square 0, PVC, PCB \square 0 \square 0 \square 0.
- \square , \square , \square & A \square \square B \square \square ; \square \square .




















PVC

DOUBLE COLOR BOARDS

WOOD

CARBON FIBER REINFORCED PLASTICS PLATE









PCB

WAX

DOUBLE COLOR BOARDS EPOXY TOOLING BOARD





05 Factory Tour



















Certifications



Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine, Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness, Professional mold and materials so that our quality has been stable protection.





















Company culture









