

01 Product Highlight

ChinaCNCzone **SL-1290 130W CO2** 雷射機

特點

Ares 尺寸: 1200 × 900 mm

行程: 0-20 mm X 0-60000 mm Y

內置 DSP 晶片

57 個螺絲

內置 57 個螺絲

CW5000 雷射管

內置雷射管

USB 介面

內置雷射管, 內置雷射管

內置雷射管, 內置雷射管

內置雷射管, 內置雷射管

內置雷射管

內置雷射管, 內置雷射管, 內置雷射管

內置雷射管

Positioning 雷射

內置雷射 Bottom

內置雷射 [CO2 雷射機](#)

02 Parameters

雷射管	內置 CO2 雷射管
雷射管	130W
尺寸	1200 × 900 mm
行程	0-20 mm (Z)
行程	0-60000 mm (Y)
行程	0-1800 mm (X)
精度	± 0.01 mm
行程	± 0.05 mm
電壓	AC110-220V ±10%.50-60HZ
功率	< 1, 000W
溫度	0-45 ° C


切割速度	5-95%
切割精度	±0.1 mm
支持的格式	BMP, PLT, DST, DXF, 矢量图格式
切割厚度	10mm
支持的软件	CorelLASERCorelDraw, laserdrw
支持的操作系统	Windows XP / Win 7 / Win 8
切割功率	130W CO2 激光器 切割速度 切割厚度 切割精度 cw5000
切割速度	切割速度 切割厚度 切割精度
支持的软件	DSP 切割软件
支持的软件	Coreldraw 切割 CAD 切割

03 Product Images

SL-1290 130W CO2 切割速度 切割厚度 切割精度











import motor, Efficient and
safe





The control panel can easily control the machine in time, can power, speed adjust spee,power according to different materials and expected results

THE CONTROL PANEL CAN EASILY CONTROL THE MACHINE IN TIME, ACCORDING TO DIFFERENT MATERIAL AND THE EXPECTED EFFECT OF POWER AND SPEED.

04

Applications

China  zone

SL-1290 130W CO2 切割机 切割 切割 切割 切割 切割 切割

-切割 & 切割 切割

-切割 切割

-切割 切割

-切割 切割

-切割 切割

-Nowise(beginner)切割 切割 切割

Material	Engrave	Cut
Wood	Yes	Yes
Jade	Yes	
Acrylic	Yes	Yes
Glass	Yes	
Ceramic	Yes	
Delrin	Yes	Yes
Cloth	Yes	Yes
Leather	Yes	Yes
Marble	Yes	
Matte Board	Yes	Yes
Melamine	Yes	Yes
Paper	Yes	Yes
Mylar	Yes	Yes
Press Board	Yes	Yes
Rubber	Yes	Yes
Wood Veneer	Yes	Yes
Fiberglass	Yes	Yes
Painted Metals	Yes	
Tile	Yes	
Plastic	Yes	Yes
Cork	Yes	Yes
Corian	Yes	Yes
Anodized Aluminum	Yes	
Ceramics	Yes	
Stainless Steel	*	
Brass	*	



"" means you have to use a spray called "thermark" to spray the surface of the material and then you can mark on it.





05 Factory Tour





Factory



Workshop



SHENZHEN SCOTLE TECHNOLOGY GROUP LIMITED

ChinaCNCzone, engrave your colorful life!

客户合影及公司文化 Customers and Company Culture

