

□□□ □□□ □□ 10w/20w/30w/50w□ □□

11/11

□□ □□ □□ □□□ □□.

[cnc](#), [cnc 6040](#), [cnc 6090](#), [cnc router](#)

s005

1. 0000 0000, 00 0 00, 00 00.
2. 0000 000 100000 0000 0 0 0000.
3. 0000 00
4. 00 00 000000, photoshop, coreldraw, autocad 0000 00
5. 0000 00 00 00, 00000 00 00 00 0 00 00 00 0 0.
6. 0 0 0 0000 0000 2 0 0000 0000 0 0000 0000 00 00 00 00 0000, 00000 00 00 00 0000, 0000 00, 0000 0000 0 0 00 0000.
7. 0000 0000 00 00 0 00 00 00, 00 0 00 00, 00 00.
8. 0000, 00 0000, 00 0000 00 0000 00, 0000 0000 0000 0 0000 0 00 0 0000 00 00000000 00 0000.
9. 0000, 0000, 0000 000000, 00 0 0 00 0000 00 00.
10. 00 0000, 00 00 0000 0 00 00 0000.
- 11 00 0000 00 0.

□ S005 □□ □□ □□ □□ □□ □□ □□ 4 □ □□□□ □□ □□ □□□□: □□ □□□, □□□ □ □□□ □□, □□□ □□ □□□ □ □□

Name	Origin(brand)	Remarks
Optical maser	Maxphotonics	Long service life, high reliability, fine beam quality
Galvo mirror	290mm	Fine marking, more quick and high reliability
F- θ lens	wavelength	High quality optical device
Marking software	Special marking Software (Ezcad2 software)	Powerful, simple and convenient operation, Auto-cad, CorelDraw, Photoshop software compatible form
Control cabinet	China	Optical fiber special cabinet, all the mold production, high seal

Do you know how to choose the laser marking machine?

①

Crack version board



Original JCZ board



VS

②

Software

Board card	Support of computer system	Work software
Original JCZ board	WinSeal XP/Win7/8/10	Can support the latest Ezcad software
Crack version board	WinSeal XP/Win7	Can only support to Ezcad2.9.4

02 Parameters

China  zone

电压: 110v/220v

光源类型: 氙灯光源 (紫外光 /ipI 光源)

功率: 10w/20w/30w/50w

波长: 1064nm

频率: 20-100khz

速度: 0-8000mm/s

精度: ± 0.003 mm

光斑直径: 0.015 mm

光斑深度: 0.15 mm

光源: 氙灯

尺寸: 110 x 110mm 15 x 150 mm 200 x 200mm 220 mm 300 x 300mm

功率: 0.5 k w, 220v/50hz, 110v/60hz

光源: 氙灯

功率: 80 瓦

尺寸: 100 * 75 * 155 cm

重量: 115 kg

03 Product Images

China  zone











Caliper measures

Convenient and quick









Main board switch

Laser switch

Vibration mirror switch





s005 10w/20w/30w/50w

1.Mirror



Good sense of light

Uniform illumination

Compact, suitable for harsh environments



2.Galvanometer

Marking effect is good

No distortion

*Using a full set of German imported accessories,
laser and galvanometer laser long service life*

3.Elevator Shaft



Imports of high-quality

High-energy

Stable fiber lasers

*In a certain shock,vibration,high temperature or with ash,
etc.Also can work normally under the harsh enironment.*



4. Work Platform

Small size

compact structure

Suitable for bad environment laser realize laser range through fiber optic cable transmission

5. Control Panel


Humanized control system

New dustproof plug design



Control system is easy to learn

Can be used offline



6. Scale

High performance scale

Engraving effect more beautiful

A callbration more accurate


0000 000 000 000 000-002 20w 00 000 00 00 00 00: 00, 00 000 000, 000 00, 00 00, 00 00, 00 00, 00 00, 00, 00 00, 00 00, 0000 00, 000, 00, 00, 0 0, 00000 00 00 0.

0000 000 000-002 20w 00 000 00 00 00 00

00 000 00, 0000 00, 00, 00 00, 00 00, 00 000 000 (0,0, 00, 00, 0000, 00, 00000, 00 00), 000 (000 0: 00 00 0000 0 000 0000, 00. 00 00 00 00, 000 00, 00 00, 00 00 0 00, 000 000, 0000, 000 00, 00 00 00, 00 00, 00 000, pvc 000, 00 00, 00 0 0)00 00



Laser Mark



Laser Mark



Laser Mark



Laser Mark



Laser Mark



Laser Mark



Laser Mark

Materials: Stainless Steel



Laser Mark

Materials: Stainless Steel



Laser Mark



Laser Mark









ChinaCNCzone, engrave your colorful life!

客户合影及企业文化

