

# 01 Product Highlight

ChinaCNCzone SL-6090 100W [CO2 雕刻機](#) 雕刻機

雕刻機

Ares 尺寸: 600x900mm

尺寸: 600 mm X 900 mm Y 軸 0 到 100 mm

尺寸: 600 mm

尺寸: 0, 10, 20, 30, 40, 50, 60, 70, 80, 90, 100 mm

尺寸: 600 mm

USB 接口

尺寸: 600 mm X 900 mm

尺寸: 600 mm X 900 mm

尺寸: 600 mm X 900 mm

尺寸: 600 mm

尺寸: 600 mm X 900 mm

尺寸: 600 mm X 900 mm

Positioning 精度

尺寸: 600 mm X 900 mm

尺寸: 400 \* 1000 mm

尺寸: 0-25 cm

尺寸: 5 CM

尺寸: 600 mm X 900 mm

尺寸: [CO2 雕刻機](#)

# 02 Parameters

功率	< 500W
输出功率	100W 雕刻機
雕刻機	CO2 雕刻機
電壓	AC 220V/110V
尺寸	600 * 900 mm
厚度	0-10 mm (雕刻機)
厚度	0-10 mm

切割速度	0-500 mm/s
切割精度	0-100 mm/s
切割厚度	0-250 mm 切割精度
切割精度	< 0.01 mm
切割速度	切割: 2 * 2 mm, 切割: 1 * 1 mm
切割速度	5°C-45°C
切割速度	5%-95%
切割精度	≤1000dpi
切割速度	USB 2.0 (切割精度)
切割速度	切割 XP / 切割 7 / 切割 8
切割	切割精度切割精度切割精度
切割精度	0-46 ° C
切割精度	LED 切割精度切割精度
切割	bule 切割精度切割精度, 切割精度切割精度,
切割精度	切割精度 CorelDraw & WinsealXP 切割精度. 切割 (BMP, JPEG, PLT, CDR, AI) TIFF, PCX, DIB, TIF
切割精度	CorelDraw, laserdrw
切割精度	切割
切割精度	切割
切割	切割精度 button 切割精度切割精度切割精度
切割精度	134 * 94 * 64 cm
切割	切割精度切割精度切割精度
切割精度	151 * 110 * 80 cm

□□□ □□	140 kg □□ □□ □□ (□□ □ □□ □□ □□ )
--------	----------------------------------


03 Product Images China  zone


SL-6090 100W CO2 □□□ □□ □□ □□











04 Applications China  zone

SL-6090 100W CO2 切割 切割 切割 切割 切割 切割 切割 切割 切割 切割

- 切割 & 切割 切割
- 切割 切割
- 切割 切割

-□□ □ □

-□□ □□□

-Nowise(beginner)□ □ □ □□

Material	Engrave	Cut
Wood	Yes	Yes
Jade	Yes	
Acrylic	Yes	Yes
Glass	Yes	
Ceramic	Yes	
Delrin	Yes	Yes
Cloth	Yes	Yes
Leather	Yes	Yes
Marble	Yes	
Matte Board	Yes	Yes
Melamine	Yes	Yes
Paper	Yes	Yes
Mylar	Yes	Yes
Press Board	Yes	Yes
Rubber	Yes	Yes
Wood Veneer	Yes	Yes
Fiberglass	Yes	Yes
Painted Metals	Yes	
Tile	Yes	
Plastic	Yes	Yes
Cork	Yes	Yes
Corian	Yes	Yes
Anodized Aluminum	Yes	
Ceramics	Yes	
Stainless Steel	*	
Brass	*	



**\*\*\*means you have to use a spray called "thermark" to spray the surface of the material and then you can mark on it.**



05 Factory Tour



06 **Certifications**

**China  zone**



Factory



Workshop



