

01 Product Highlight

China  zone

3 **CNC 6090** 4 **DSP** 2200W .
 .

150mm **CNC** 100mm.





□□□ □□□□ □□ :

- Wi-Fi DSP 處理 100%, 200% 或 300% 處理量 100% 處理量 100% 處理量 100%.
- 處理量 100% 或 200% 處理量.

- SD 卡 可 存 儲 數 據
- Wi-Fi SD 卡 可 存 儲 數 據 並 可 傳 送 數 據。
- 2.2KG, powerfu 功 率 大 功 率!
- 可 用 於 傳 送。
- 可 用 於 傳 送 數 據 並 可 傳 送。

如何 DSP 可 存 儲 數 據 並 可 傳 送?

- 可 用 DSP 存 儲 數 據 並 可 傳 送。
- TF 卡 可 存 儲 數 據, 可 用 於 存 儲 數 據 並 可 傳 送。
- 可 用 於 存 儲 數 據, 可 用 於 存 儲 數 據 並 可 傳 送。
- G-碼 可 存 儲 數 據 並 可 傳 送, 可 用 於 存 儲 數 據 並 可 傳 送,

可 用 於 存 儲 數 據 並 可 傳 送 6090 可 用 於 [CNC 4 軸](#)?

- USB 存 儲 數 據
- 可 用 於 存 儲 數 據。
- 可 用 於 存 儲 數 據 並 可 傳 送 MACH3 存 儲 數 據。
- 可 用 於 存 儲 數 據, 可 用 於 存 儲 數 據, PCB 可 用 於 存 儲 數 據 並 可 傳 送。
- 可 用 於 存 儲 數 據 並 可 傳 送。
- 4 軸 可 用 於 存 儲 數 據, 可 用 於 存 儲 數 據 並 可 傳 送 數 據 並 可 傳 送。
- 可 用 於 存 儲 數 據, 可 用 於 存 儲 數 據 並 可 傳 送
- 可 用 於 存 儲 數 據 並 可 傳 送 數 據 並 可 傳 送
- 可 用 於 broaded 存 儲 數 據 並 可 傳 送 數 據 並 可 傳 送。
- 可 用 於 存 儲 數 據 並 可 傳 送。
- 可 用 於 & A; 可 用 於 trustable 可 用 於 [CNC 4 軸](#)。

02 Parameters ChinaCNCzone

3 CNC 6090 4 軸	
可 用 於	X860mm * Y630mm * Z480mm
Max.workpiece 可 用 於	X600mm * Y900mm * Z150mm
可 用 於 可 用 於	可 用 於 6063 或 6061 可 用 於 可 用 於 可 用 於 可 用 於 可 用 於 可 用 於
可 用 於 可 用 於 可 用 於	≤150mm
可 用 於	X : 1605 可 用 於
	Y : 2005 可 用 於
	Z : 1605 可 用 於

主要規格	X : Dia.30mm 標準規格
	Y: Dia.30mm 標準規格
	Z: Dia.16mm 標準規格
最大負荷	57-76 N 3A 150N.cm
最大消費電力	最大消費電力 2.2KW 最大回転速度, 24000RPM
最大加工径	ER16-A, 3~10mm 標準規格
最大行程	Z LT = 0.05 mm
最大加工精度	最大加工精度 acuities 0.03 mm 標準規格
加工速度	加工速度 / TAB 加工 / NC 加工 / NCC 加工
最大加工長さ	4,000mm / 標準規格
最大加工径	0~2,500mm / 標準規格 (標準規格 標準規格)
最大加工径	標準規格
加工速度	加工速度 標準規格
加工速度	AC110V / AC220V
6090 CNC 標準規格 4 軸 標準規格	
標準規格	136 * 116 * 92 mm
標準規格	34mm
標準規格	50mm fingertight 標準規格
標準規格 ratio	1: 3
標準規格	0.1










图 3 CNC 6090 图 4 图



04 Applications ChinaCCzone

□ □□□ □□ 3 CNC 6090 □□□ 4 □ □□ □□, □□□, □□, alumimun, PVC, PCB □□□□ □ □□ □ □□.



05 Factory Tour

ChinaCNCzone

ChinaCNCzone 是一个提供 CNC 加工服务的平台，我们提供不同种类的 CNC 加工服务。



QA Inspection Area



Mechanical Assembly Area



Machine Commissioning Area



Finish Products Area



Packaging Area




06

Certifications

China CCzone

Always be imitated, never be surmounted.

We all use well-designed professional aluminum to manufacture the machine. Almost all of the structural member are extruded by a dedicated mold. The production of large quantities so that we have a strong price competitiveness. Professional mold and materials so that our quality has been stable protection.





ChinaCNCzone, engrave your colorful life!

客户合影及企业文化

