01 Product Highlight



- 1. China famous brand Raycus source.
- 2. 3 red light focus Sino galvo, high precise, good quality. (Opex lens 110*110mm/150*150mm/200*200mm optional)
- 3. JCZ main board, free software (support English , Japanese, Korea). software version (Ezcad 2.14).
- 4. Support win7/win8 (32 bits, 64 bits), win10 32/64 bit. voltage 110v/220v optional.
- 5. Factory direct sale, price cheap. 2 years warranty!

Some questions of buyers:

- 1. EU buyer: why your price is higher than before? how can i get it without tax?
- -Due to new EU VAT policy executed from July 1 2021, all of orders will be charged tax when buyers make payment.

if you want to get free tax, please select "China delivery" option, it will remove the tax on your payment page.

when we get your payment, actually we ship the machines to you from our EU warehouse, shipping time will be 6-8 days, NO tax to your door.

EU buyer: I agree to pay the tax, but i want to get the invoice for our company, how can i get it?

-If you are a company buyer, please select "France or Poland delivery" option, so it will include tax, after you finish payment, you can download the invoice from your side aliexpress, the invoice will show you the tax.

Win10 software problem please click following link to get Lcmv2 for Windows 10:

https://hl-yeah.com/downloads/beijing-jcz-laser-marking-control-board-ezcad-2-0-software-driver/





Technical Parameter:

Model			
Laser power	30W/50W		
WorkingArea	200*200mm (Initial field lens specification.)		
Cooling Mode	Air Cooling		
Laser Wavelength	10.64 um		
Frequency of pulse	20-100 KHz		
Marking Depth	≤0.3 mm		
Marking Speed	≤8000 mm/s		
Marking Lines	1-10 lines		
Minimum Line Width	0.01 mm		
Minimum Character	0.15 mm		
Repeatability Accuracy	±0.002 mm		
Resolution Ratio	0.1 mm		
Marking Content	Text, pattern, date,bar code, etc		
Operation System	Microsoft Windows XP or Windows 2000,WIN 7, WIN8, WIN 10		
Control Software	EZCAD ENGLISH Control Software		

Graphic Format Supported	BMP, JPG, GIF, TGA, Ai, DXF, PLT, PNG, TIF, ai, DXF, DST, etc.		
Unit Power	≤0.9 KW		
Operation Temperature	5°C-40°C		
Relative Moisture	≤ 90%, no fog		
Dimensions(L*W*H)	780*780*450MM (Cartoon)		
Power supply requirements	220V/110V(Optional)		
Weight	Gross Weight 38KG (Other factory wooden package 60KG+)		
Warranty	24 months		














Accessories



Tool protection





Foot switch



U-disk



USB 2.0 Line



Roatry Axis (optional)







04 Applications



This **20W** Portable Mini Fiber Laser Marking Machine can be widely use to mark/printing and engrave on many type of metal material and some non metallic material with different design text, symbol,pattern,bar code,2D code, serial number, and suitable for online marking.



metals



plastic

keypads



Bank card

Glasses



07 Company culture









